

Oil Pattern Distance	42	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	17.95 mL	Reverse Oil Total	14.75 mL	Volume Oil Total	32.7 mL
Tank Configuration	A Only	Tank A Conditioner	Kegel	Tank B Conditioner	Kegel

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	14	3	74	0.0	1.9	1.9	3700
2	2L	3R	1	14	3	36	1.9	3.8	1.9	1800
3	3L	5R	1	14	3	33	3.8	5.7	1.9	1650
4	2L	2R	2	14	3	74	5.7	9.6	3.9	3700
5	6L	7R	1	18	3	28	9.6	12.1	2.5	1400
6	2L	2R	1	18	3	37	12.1	14.6	2.5	1850
7	9L	9R	2	18	3	46	14.6	19.7	5.1	2300
8	12L	11R	1	18	3	18	19.7	22.2	2.5	900
9	15L	13R	1	18	3	13	22.2	24.7	2.5	650
10	2L	2R	0	18	3	0	24.7	42.0	17.3	0

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	22	3	0	42.0	34.0	-8.0	0
2	14L	12R	3	22	3	45	34.0	24.7	-9.3	2250
3	11L	10R	2	18	3	40	24.7	19.6	-5.1	2000
4	8L	8R	3	18	3	75	19.6	12.0	-7.6	3750
5	4L	4R	1	14	3	33	12.0	10.1	-1.9	1650
6	5L	6R	1	14	3	30	10.1	8.2	-1.9	1500
7	2L	4R	1	14	3	35	8.2	6.3	-1.9	1750
8	2L	2R	1	14	3	37	6.3	4.4	-1.9	1850
9	2L	2R	0	10	3	0	4.4	0.0	-4.4	0

Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.22	1.36	1.04	1	1.28	2.45

