

Oil Pattern Distance	40	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	17.15 mL	Reverse Oil Total	9.9 mL	Volume Oil Total	27.05 mL
Tank Configuration	A Only	Tank A Conditioner	infinity	Tank B Conditioner	infinity

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	14	3	148	0.0	5.9	5.9	7400
2	5L	6R	1	14	3	30	5.9	7.8	1.9	1500
3	7L	7R	2	14	3	54	7.8	11.7	3.9	2700
4	9L	9R	1	18	3	23	11.7	14.2	2.5	1150
5	10L	9R	1	18	3	22	14.2	16.7	2.5	1100
6	11L	11R	1	18	3	19	16.7	19.2	2.5	950
7	12L	11R	1	18	3	18	19.2	21.7	2.5	900
8	13L	12R	1	18	3	16	21.7	24.2	2.5	800
9	14L	14R	1	18	3	13	24.2	26.7	2.5	650
10	2L	2R	0	26	3	0	26.7	40.0	13.3	0

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	0	40.0	31.0	-9.0	0
2	13L	14R	3	18	3	42	31.0	23.4	-7.6	2100
3	11L	12R	3	18	3	54	23.4	15.8	-7.6	2700
4	9L	9R	2	18	3	46	15.8	10.7	-5.1	2300
5	6L	7R	2	14	3	56	10.7	6.8	-3.9	2800
6	2L	2R	0	14	3	0	6.8	0.0	-6.8	0

Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.97	1.67	1.01	1.04	1.67	4.42

